



HEAVY DUTY MUDGUARD AND SIDE PANEL SUPPORTS



Mudguard supports



Item	A	B	C	D	OD	S	Rein- force- ment	AlZn galvanised	Hot galvanised	Hot rolled
P9062	770	150	65	505	44	2	-	X		
P9064	630	50	90	400	44	2	X	X		
P9065	680	65	70	545	38	2	X	X		
P9066	750	50	90	520	44	2	X	X		
P9068	650	65	70	515	38	2	X	X		
P9069	750	65	70	615	38	2	X	X		
P9070	770	150	65	505	44	2	X	X		
P9071	670	75	85	435	38	2	X	X		
P9074	500	65	70	365	38	2	X	X		
P9075	540	75	85	305	38	2	X	X		
P9076	650	150	65	505	44	2	X	X		
P9077	700	150	65	435	44	2	X	X		
P9078	560	150	65	295	44	2	X	X		
P9200	540	150	100	220	42	2,5	-		X	
P9201	760	150	85	420	42	2,5	-		X	
P9202	710	50	85	450	42	2,5	-		X	
P9207	670	100	100	375	42	2,5	-		X	
P9208	540	100	100	250	42	2,5	-		X	
P9210	800	100	260	360	42	2,5	-			X
P9211	762	100	100	432	42	2,5	-			X
P9215	800	100	100	530	42	2,5	-		X	
P9212	SUPPORT TUBE JOINT, BLACK STEEL TO BE WELDED, FOR Ø42 TUBE									
P9213	SUPPORT TUBE JOINT, GALVANISED TO BE SCREW MOUNTED, FOR Ø42 TUBE									
P9214	PLASTIC END CAP FOR Ø42 x 2,5 TUBE									



P9212





P9213





P9214


Side panel supports



Item	A	B	C	D	OD	S	Rein- force- ment	AlZn galvanised	Hot galvanised	Hot rolled
P9205	670	100	75	370	42	2,5	-			X
P9206	670	200	75	240	42	2,5	-			X
P9216	762	200	100	362	42	2,5	-			X



Item	A	B	C	D	OD	S	Rein- force- ment	AlZn galvanised	Hot galvanised	Hot rolled
P9204	670	-	-	-	42	2,5	-			X
P9209	835	-	-	-	42	2,5	-			X



Item	A	B	C	D	OD	S	Rein- force- ment	AlZn galvanised	Hot galvanised	Hot rolled
P9203	830	700	-	-	42	2,5	-		X	
P9244	530	400	-	-	42	2,5	-		X	

FennoSteel Oy
Keijo Laihonen
Fennokatu 1, 39700 Parkano, Finland
tel. +358 50 327 0125, fax +358 3 441 0250
keijo.laihonen@fennosteel.com - www.fennosteel.com

